

Xerox® VersaLink® Color Printer and Color Multifunction Printer

High-performance productivity — personalized.



C500/C505

ConnectKey®
Technology

 **Parmetech**
Office Technology Solutions

xerox™

Xerox® VersaLink® C500 Color Printer and Xerox® VersaLink® C505 Color Multifunction Printer

Designed for fast-paced workteams, the VersaLink® C500 Color Printer and C505 Color Multifunction Printer deliver a higher level of reliable performance. Cloud connected, mobile ready, app-enabled and easy to customize, the C500 and C505 are your modern workplace assistants — helping you excel today and stay ready for the future.

POWERFUL, RELIABLE, SECURE.

Right out of the box, you'll count on your VersaLink® C500 or C505 to make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go — hassle free.

Completely re-engineered for superior reliability, the VersaLink® C500 and C505 feature a new hardware design with fewer moving parts, and a more advanced Hi-Q LED print head.

VersaLink® devices are loaded with features designed to reduce inefficiency. Device management and user training can be done anywhere with the time-saving Remote Control Panel. Ensure information accuracy with Scan and Fax Preview¹, and do more with scanned documents with built-in optical character recognition (OCR)².

The most security-minded businesses and governments choose Xerox. We offer a comprehensive approach to print security that includes a powerful mix of built-in features and services that mitigate risk through a vigorous focus to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy.

EASY, EFFICIENT AND ENTIRELY NEW.

The customizable 7-inch color touchscreen (5-inch on the C500), lets you breeze through tasks with mobile-like ease.

Get more done in less time by creating customized 1-Touch Apps² to automate

multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, to experience fast, secure access to task-specific presets, and commonly used apps on a personalized home screen.

APP-BASED FLEXIBILITY AND MOBILE FREEDOM.

The VersaLink® C500 Color Printer and VersaLink® C505 Color Multifunction Printer give you the freedom to work where and how you want — with access to Google Drive™, Microsoft® OneDrive® and DropBox™ and additional options through the Xerox App Gallery.

VersaLink® devices deliver for today's mobile worker with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Services plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/Mobile.

ENVIRONMENTAL STEWARDSHIP.

VersaLink® devices meet or exceed the requirements of the world's most widely recognized certifications for product environmental performance, including EPEAT®, which verifies manufacturer claims regarding design, production, energy use and recycling. (**See the complete list of EPEAT-verified VersaLink products.**)

For more information about our environmental, health, safety and sustainability efforts, visit www.xerox.com.

XEROX® CONNECTKEY® TECHNOLOGY

Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

Enables Next Generation Services

Easy integration of Xerox® Intelligent Cloud Workplace Services. Enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at www.ConnectKey.com.

To learn more about VersaLink® device features, go to www.xerox.com/VersaLinkEG.

¹ Scan Preview available for VersaLink® C505 only; Fax Preview available for VersaLink® C505 only.

² Available for VersaLink® C505 only.



Xerox® VersaLink® C500 Color Printer
Print.



Xerox® VersaLink® C505 Color Multifunction Printer
Print. Copy. Scan. Fax. Email.



1 500-sheet (C500) or 400-sheet (C505) output tray with tray-full sensor.

2 Card Reader Bay for internal Card Reader/RFID Kit (C500 includes an Internal Card Reader compartment located behind the touchscreen).

3 The optional 320 GB Hard Drive increases the capabilities of numerous app-based functions.

4 A front-side USB port¹ allows users to quickly print from or scan to² any standard USB memory device.

5 The 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in./76.2 x 127 mm to 216 x 356 mm.

6 Tray 1 handles up to 550 sheets with custom sizes of 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm.

7 A 100-sheet Single-Pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.

8 The optional Cabinet (includes stabilizers) provides storage for toner cartridges and other supplies.

9 The optional High Capacity Feeder (includes Caster Base) adds up to 2,000 sheets with standard sizes of 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm.

10 Add up to 4 additional 550-sheet paper trays that handle sizes from 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).

¹ USB ports can be disabled.

² VersaLink® C505 only.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced color touchscreen interface. Whether 7-inch (VersaLink® C505) or 5-inch (VersaLink® C500), it's a user experience that sets a higher standard for customization, personalization and versatility.


By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C500 Color Printer and VersaLink® C505 Color Multifunction Printer get more work done, faster.



Xerox® VersaLink® C500/C505



The VersaLink® C500 Color Printer and VersaLink® C505 Color Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit www.ConnectKey.com.

DEVICE SPECIFICATIONS		VersaLink® C500	VersaLink® C505
Speed ¹		Up to 45 ppm letter/Up to 43 ppm A4	
Duty Cycle ²		Up to 120,000 pages/month ²	
Processor/Memory/Hard Drive		1.05 GHz/2 GB/ optional 320 GB HDD	
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Controller Features		Unified Address Book (VersaLink® C505), Configuration Cloning, Scan Preview (VersaLink® C505), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Online Support	
Paper Handling	Standard	NA	Single-Pass Duplex Automatic Document Feeder (DAF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
	Optional	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm Up to 4 Additional Trays: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm	
Paper Output	Standard	500 sheets	400 sheets
Automatic Two-sided Output		Standard	
Copy and Print	Resolution	Print: Up to 1200 x 2400 dpi	
First-Page-Out Time (as fast as)		Print: As fast as 5.3 seconds color/5.0 seconds black-and-white	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 600 dpi
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™	
INTUITIVE USER EXPERIENCE			
Customize and Personalise		Walkup customization, Personalise Home Screen by User, Multiple Home Screens with Xerox® Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery	
Print Drivers		Job Identification, Bidirectional Status, Job Monitoring and Xerox® Global Print Driver®	
Xerox® Embedded Web Server		PC or mobile – Status Information, Responsive Design, Settings, Device Management, Cloning	
Remote Console		Remote Control Panel	
Preview		NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode	
Scan		NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ³		NA	Fax Features (VersaLink® C505/X only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax)
MOBILE AND CLOUD READY			
Mobile Printing		Apple® AirPrint® ⁴ , Google Cloud Print™ Ready, Mopria® Certified, Mopria® Print Service Plug-in for Android™, Xerox® @printbyXerox App, Xerox® Print Services plug-in for Android™	
Mobility Options		Xerox® Mobile Print Solution and Xerox® Mobile Print Cloud App Connect via NFC/Wi-Fi Direct Printing, Xerox® Mobile Link App (C505). Visit www.xerox.com/OfficeMobileApps for available apps.	
Cloud Connectors ⁵		Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more	
BENCHMARK SECURITY			
Network Security		IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration	
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)	
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408), Encrypted Apps with Embedded Certificate Support	
Document Security		Secure Print, Secure Fax (C505/X), Secure Email (C505), Password Protected PDF (C505)	
ENABLES NEXT GENERATION SERVICES			
Print Management		Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at www.xerox.com/PrintManagement .	
Fleet/Device Management		Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter Read, Managed Print Services tools, Configuration Cloning	
Sustainability		Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID on margins	
GATEWAY TO NEW POSSIBILITIES			
Cloud Services		Xerox® Easy Translator (VersaLink® C505), CapturePoint™ (VersaLink® C505), many additional services available	

¹ Declared print speed in accordance with ISO/IEC 24734. ² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ³ Requires analogue phone line; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery ⁶ Scan to available for C505.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Supplies

Standard Capacity Toner Cartridges:

Black: 5,000 pages ⁷	106R03880
Cyan: 2,400 pages ⁷	106R03877
Magenta: 2,400 pages ⁷	106R03878
Yellow: 2,400 pages ⁷	106R03879

High Capacity Toner Cartridges:

Black: 12,100 pages ⁷	106R03887
Cyan: 5,200 pages ⁷	106R03881
Magenta: 5,200 pages ⁷	106R03882
Yellow: 5,200 pages ⁷	106R03883

Extra High Capacity Toner Cartridges:

Cyan: 9,000 pages ⁷	106R03884
Magenta: 9,000 pages ⁷	106R03885
Yellow: 9,000 pages ⁷	106R03886
Cyan Drum Cartridge: 40,000 pages ⁸	108R01481
Magenta Drum Cartridge: 40,000 pages ⁸	108R01482
Yellow Drum Cartridge: 40,000 pages ⁸	108R01483
Black Drum Cartridge: 40,000 pages ⁸	108R01484
Waste Cartridge: 30,000 pages ⁸	108R01416

Options

550-sheet Feeder	097504949
2,000-sheet High Capacity Feeder (includes Caster Base)	097504948
Cabinet (includes stabilizers)	097504994

Caster Base	097504954
Productivity Kit with 320 GB HDD	497K18360
Wireless Network Adapter (Wi-Fi Kit)	497K16750

⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

⁸ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit <http://www.office.xerox.com/Latest/SUPGL-01.PDF>.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

© 2020 Xerox Corporation. All rights reserved. Xerox®, ConnectKey®, DocuShare®, Global Print Driver®, VersaLink®, and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 09/20 TSK-748 BR32097 VC5BR-01UG

